



'Basic' ball valves

BASIC BALL VALVE MALE SOLVENT SOCKET OUTLET PTFE ITEM 778



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1011468	BALL VALVE, MALE SOLV. SOCKET 50 PTFE	0.838	0.03682	13.19	15
1011469	VALVULA ENLACE ENC/MACHO 63 PTFE	1.308	0.04460	13.78	10
1011776	BALL VALVE, MALE SOLV. SOCKET 20 PTFE	0.158	0.02244	6.64	40
1011777	BALL VALVE, MALE SOLV. SOCKET 25 PTFE	0.200	0.02244	8.32	40
1011778	BALL VALVE, MALE SOLV. SOCKET 32 PTFE	0.332	0.03682	10.58	30
1011779	BALL VALVE, MALE SOLV. SOCKET 40 PTFE	0.574	0.03682	12.10	20



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es




ITEM 778 | BASIC BALL VALVE MALE SOLVENT SOCKET OUTLET PTFE

CÓDIGO	f	PESO (g)	DN	A	B	C	D	F	PN	MEDIDA
11776	20	158	15	104	52	16	78	47	PN16	MÉTRICO
11777	25	200	20	112	59	19	84	51	PN16	MÉTRICO
11778	32	332	25	142	70	23	97	66	PN16	MÉTRICO
11779	40	574	32	165	84	25	128	72	PN16	MÉTRICO
11468	50	838	40	180	99	31	142	77	PN16	MÉTRICO
11469	63	1308	50	210	121	38	165	90	PN16	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es