




'Basic' ball valves

Cuerpo V.E actuador eléctrico 220v. - PTFE ITEM 260



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
1011559	BALL VALVE W/220v ELEC. ACTUATOR 20	1.483	0.01553	1.72	1
1011560	BALL VALVE W/220v ELEC. ACTUATOR 25	1.501	0.02244	2.04	1
1011561	BALL VALVE W/220v ELEC. ACTUATOR 32	1.599	0.03129	2.16	1
1011562	BALL VALVE W/220v ELEC. ACTUATOR 40	1.724	0.03129	2.28	1
1011563	BALL VALVE W/220v ELEC. ACTUATOR 50	2.111	0.03129	2.67	1
1011564	BALL VALVE W/220v ELEC. ACTUATOR 63	2.661	0.03648	3.36	1
1011565	BALL VALVE W/220v ELEC. ACTUATOR 75	3.491	0.04460	4.33	1
1011566	BALL VALVE W/220v ELEC. ACTUATOR 90	4.259	0.04460	5.10	1
1011567	BALL VALVE W/220v ELEC. ACTUATOR 110	6.575	0.04460	7.31	1
1011568	BALL VALVE W/220v ELEC. ACTUATOR 125	6.285	0.04460	7.13	1





ITEM 260 | Cuerpo V.E actuador eléctrico 220v. - PTFE

CÓDIGO	f tubo	PESO (g)	DN	Actuador	A	B	PN	MEDIDA
11559	20	1483	15	H10	47	227	PN16	MÉTRICO
11560	25	1501	20	H10	51	232	PN16	MÉTRICO
11561	32	1599	25	H10	66	243	PN16	MÉTRICO
11562	40	1724	32	S20	72	265	PN16	MÉTRICO
11563	50	2111	40	S20	77	282	PN16	MÉTRICO
11564	63	2661	50	S20	90	352	PN16	MÉTRICO
11565	75	3491	65	S35	121	426	PN10	MÉTRICO
11566	90	4259	80	S55	141	453	PN10	MÉTRICO
11567	110	6575	100	S55	155	477	PN10	MÉTRICO
11568	125	6285	113	S85	161	500	PN10	MÉTRICO





ITEM 260 | Cuerpo V.E actuador eléctrico 220v. - PTFE



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es