




'Basic' ball valves

Cuerpo V.E actuador neumático simple efecto - PTFE ITEM 262



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1011579	BALL V. S/ACTING,NEUM. ACTUATOR 20	2.283	0.01553	2.52	1
1011580	BALL V. S/ACTING,NEUM. ACTUATOR 25	2.301	0.02244	2.84	1
1011581	BALL V. S/ACTING,NEUM. ACTUATOR 32	2.399	0.03129	2.96	1
1011582	BALL V. S/ACTING,NEUM. ACTUATOR 40	2.254	0.03129	2.81	1
1011583	BALL V. S/ACTING,NEUM. ACTUATOR 50	2.622	0.03129	3.16	1
1011584	BALL V. S/ACTING,NEUM. ACTUATOR 63	3.600	0.03648	4.30	1
1011585	BALL V. S/ACTING,NEUM. ACTUATOR 75	4.891	0.04460	5.73	1
1011586	BALL V. S/ACTING,NEUM. ACTUATOR 90	5.659	0.04460	6.50	1
1011587	BALL V. S/ACTING,NEUM. ACTUATOR 110	6.030	0.04460	6.87	1
1011588	BALL V. S/ACTING,NEUM. ACTUATOR 125	6.585	0.04460	7.43	1





ITEM 262 | Cuerpo V.E actuador neumático simple efecto - PTFE

CÓDIGO	f tubo	PESO (g)	DN	Actuador	A	B	PN	MEDIDA
11579	20	2283	15	H050SE	47	211	PN16	MÉTRICO
11580	25	2301	20	H050SE	51	219	PN16	MÉTRICO
11581	32	2399	25	H050SE	66	230	PN16	MÉTRICO
11582	40	2254	32	H063SE	72	249	PN16	MÉTRICO
11583	50	2622	40	H063SE	77	267	PN16	MÉTRICO
11584	63	3600	50	H063SE	90	352	PN16	MÉTRICO
11585	75	4891	65	H075SE	121	426	PN10	MÉTRICO
11586	90	5659	80	H100SE	141	450	PN10	MÉTRICO
11587	110	6030	100	H100SE	155	477	PN10	MÉTRICO
11588	125	6595	112	H100SE	161	479	PN10	MÉTRICO





Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 262 | Cuerpo V.E actuador neumático simple efecto - PTFE



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es