




'Basic' ball valves

Plain/threaded outlet - Viton - Catch handle system ITEM 236

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
1011674	FPM BALL VALVE CATCH HANDLE,S.S./F.T.OUT. 63-2"	1.823	0.03682	7.94	4
1011675	FPM CATCH BALL V,S. SOCK/F.THR. 75-2 1/2"	3.149	0.03682	13.25	4
1011676	FPM CATCH BALL V,S. SOCK/F.THR. 90-3"	4.758	0.03682	10.17	2
1011677	FPM CATCH BALL V,S. SOCK/F.THR. 110-4"	6.240	0.03648	13.18	2





ITEM 236 | Plain/threaded outlet - Viton - Catch handle system

C??DIGO	f tubo-r	PESO (g)	DN	A	B	C	D	E	F	G	PN	TIPO ROSCA
11674	63-2"	1823	50	167	220	90	121	38	235	29	PN16	BSP
11675	75-2 1/2"	3149	65	210	250	121	151	45	235	33	PN10	BSP
11676	90-3"	4758	80	245	271	141	175	51	235	36	PN10	BSP
11677	110-4"	6240	100	288	287	155	210	61	270	42	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es