




## 'Basic' ball valves

# Thermofusion outlet - PE - Basic System ITEM 492

| REFERENCE | DESCRIPTION                      | Net weight | Volumen (m <sup>3</sup> ) | contenido.peso bruto | Unidades lote |
|-----------|----------------------------------|------------|---------------------------|----------------------|---------------|
| 1011420   | BALL VALVE,THERMO FUSION OUT 20  | 0.173      | 0.01553                   | 7.27                 | 40            |
| 1011421   | BALL VALVE,THERMO FUSION OUT 25  | 0.215      | 0.03129                   | 9.17                 | 40            |
| 1011422   | BALL VALVE,THERMO FUSION OUT 32  | 0.312      | 0.03682                   | 11.53                | 30            |
| 1011423   | BALL VALVE,THERMO FUSION OUT 40  | 0.614      | 0.04460                   | 13.02                | 20            |
| 1011424   | BALL VALVE,THERMO FUSION OUT 50  | 0.904      | 0.04717                   | 13.43                | 15            |
| 1011425   | BALL VALVE,THERMO FUSION OUT 63  | 1.518      | 0.06347                   | 15.73                | 10            |
| 1011426   | BALL VALVE,THERMO FUSION OUT 75  | 2.917      | 0.04717                   | 12.31                | 4             |
| 1011427   | BALL VALVE,THERMO FUSION OUT 90  | 4.210      | 0.03648                   | 9.01                 | 2             |
| 1011428   | BALL VALVE,THERMO FUSION OUT 110 | 6.705      | 0.04460                   | 14.10                | 2             |





## ITEM 492 | Thermofusion outlet - PE - Basic System

| CÓDIGO | Ø   | PESO (g) | DN  | A   | B   | C   | D   | E   | PN   | MEDIDA  |
|--------|-----|----------|-----|-----|-----|-----|-----|-----|------|---------|
| 11420  | 20  | 173      | 15  | 215 | 52  | 65  | 78  | 47  | PN16 | MÉTRICO |
| 11421  | 25  | 214      | 20  | 222 | 59  | 62  | 84  | 51  | PN16 | MÉTRICO |
| 11422  | 32  | 312      | 25  | 221 | 70  | 45  | 97  | 66  | PN16 | MÉTRICO |
| 11423  | 40  | 614      | 32  | 260 | 84  | 63  | 128 | 72  | PN16 | MÉTRICO |
| 11424  | 50  | 904      | 40  | 287 | 99  | 79  | 142 | 77  | PN16 | MÉTRICO |
| 11425  | 63  | 1518     | 50  | 328 | 121 | 89  | 165 | 90  | PN16 | MÉTRICO |
| 11426  | 75  | 2640     | 65  | 366 | 151 | 95  | 222 | 121 | PN10 | MÉTRICO |
| 11427  | 90  | 4210     | 80  | 397 | 175 | 97  | 244 | 141 | PN10 | MÉTRICO |
| 11428  | 110 | 6070     | 100 | 435 | 210 | 102 | 307 | 155 | PN10 | MÉTRICO |





## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es