



## Check Valve 'BALL'

# CHECK VALVE 'BALL' SOLVENT SOCKET / FEMALE THREADED ITEM 685



| REFERENCE | DESCRIPTION                              | Net weight | Volumen (m <sup>3</sup> ) | contenido.peso bruto | Unidades lote |
|-----------|------------------------------------------|------------|---------------------------|----------------------|---------------|
| 1022023   | BALL CHECK V. PLAIN/FEMALE THR.32-1"     | 0.367      | 0.02244                   | 7.83                 | 20            |
| 1022024   | BALL CHECK V. PLAIN/FEMALE THR.40-1 1/4" | 0.515      | 0.02244                   | 8.34                 | 15            |
| 1022025   | BALL CHECK V. PLAIN/FEMALE THR.50-1 1/2" | 0.881      | 0.04717                   | 13.86                | 15            |
| 1022026   | BALL CHECK V. PLAIN/FEMALE THR.63-2"     | 1.546      | 0.02244                   | 6.68                 | 4             |
| 1022027   | BALL CHECK V. PLAIN/FEMALE THR.75-2 1/2" | 2.424      | 0.03129                   | 10.27                | 4             |
| 1022028   | BALL CHECK V. PLAIN/FEMALE THR.90-3"     | 3.949      | 0.03129                   | 8.47                 | 2             |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es




## ITEM 685 | CHECK VALVE 'BALL' SOLVENT SOCKET / FEMALE THREADED

| C??DIGO | a-r       | Peso (g) | DN | A   | B   | C   | D   | PN   | TIPO ROSCA |
|---------|-----------|----------|----|-----|-----|-----|-----|------|------------|
| 22023   | 32-1"     | 342      | 25 | 40  | 72  | 140 | 127 | PN10 | BSP        |
| 22024   | 40-1 1/4" | 534      | 32 | 50  | 88  | 161 | 145 | PN10 | BSP        |
| 22025   | 50-1 1/2" | 855      | 40 | 63  | 103 | 183 | 170 | PN10 | BSP        |
| 22026   | 63-2"     | 1480     | 50 | 75  | 120 | 220 | 220 | PN10 | BSP        |
| 22027   | 75-2 1/2" | 2415     | 65 | 90  | 150 | 255 | 255 | PN10 | BSP        |
| 22028   | 90=3"     | 3905     | 80 | 110 | 181 | 315 | 280 | PN10 | BSP        |





## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es