



'Compact' ball valves

Fitting-female trheaded outlet VITON ITEM 724

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
111C160	VALVULA COMPACT FITTING-R/H 20-1/2" FPM	0.155	0.01553	2.86	20
111C161	VALVULA COMPACT FITTING-R/H 25-3/4" FPM	0.202	0.01553	4.37	20
111C162	VALVULA COMPACT FITTING R/H 32-1" FPM	0.295	0.02244	4.48	15



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 724 | Fitting-female threaded outlet VITON

C??DIGO	d-r	DN	PESO (g)	A	B	C	F	PN	TIPO ROSCA
11C160	20-1/2"	15	130	121	48	17	80	PN16	BSP
11C161	25-3/4"	20	165	132	53	20	80	PN16	BSP
11C162	32-1"	25	270	152	59	23	101	PN16	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es