



'Compact' ball valves

Male thread outlet VITON

ITEM 719

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
111C110	GFPP COMP.B.VALV. M/THREADED OUTLET 1/2" FPM	0.110	0.00892	2.20	20
111C111	GFPP COMP.B.VALV. M/THREADED OUTLET 3/4" FPM	0.141	0.00892	2.69	20
111C112	GFPP COMP.B.VALV. M/THREADED OUTLET 1" FPM	0.217	0.01553	4.11	15



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 719 | Male thread outlet VITON

CÓDIGO	r	DN	PESO (g)	A	B	C	F	PN	TIPO ROSCA
11C110	1/2"	15	116.9	110	48	14	80	PN16	BSP
11C111	3/4"	20	152.6	123	53	17	80	PN16	BSP
11C112	1"	25	257.6	139	59	19	101	PN16	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es