



'Compact' ball valves

PE - male threaded outlet VITON ITEM 723

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
111C150	VALVULA COMPACT R/M-PE 20-1/2" FPM	0.123	0.00892	2.60	20
111C151	VALVULA COMPACT R/M-PE 25-3/4" FPM	0.158	0.00892	3.30	20
111C152	VALVULA COMPACT R/M-PE 32-1" FPM	0.259	0.01553	4.16	15



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es




ITEM 723 | PE - male threaded outlet VITON

C??DIGO	??-r	DN	PESO (g)	A	B	C	D	F	PN	TIPO ROSCA
11C150	20-1/2"	15	123.13	166	48	65	14	80	PN16	BSP
11C151	25-3/4"	20	157.78	176	53	65	17	80	PN16	BSP
11C152	32-1"	25	261.1	195	59	70	19	101	PN16	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es