




PVC check valves (with spring)

Fitting outlet - Foot - Viton seal

ITEM 277

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
1016721	PVC FOOT CHECK V. (W/SPR), FITTING O.20 FPM	0.165	0.02244	7.14	40
1016722	PVC FOOT CHECK V. (W/SPR), FITTING O.25 FPM	0.230	0.03129	9.76	40
1016723	PVC FOOT CHECK V. (W/SPR), FITTING O.32 FPM	0.352	0.03129	11.12	30
1016724	PVC FOOT CHECK V. (W/SPR), FITTING O.40 FPM	0.581	0.03129	9.86	16
1016725	PVC FOOT CHECK V. (W/SPR), FITTING O.50 FPM	0.790	0.03682	12.47	15
1016726	PVC FOOT CHECK V. (W/SPR), FITTING O.63 FPM	1.285	0.04836	13.69	10
1016727	PVC FOOT CHECK V. (W/SPR), FITTING O.75 FPM	2.450	0.04717	13.01	5
1016728	PVC FOOT CHECK V. (W/SPR), FITTING O.90 FPM	4.592	0.06347	18.93	4





ITEM 277 | Fitting outlet - Foot - Viton seal

Código Vitón	A	Peso	B	C	PN	MEDIDA
16721	20	158	52	146	PN16	MÉTRICO
16722	25	226	59	167	PN16	MÉTRICO
16723	32	364	69	205	PN16	MÉTRICO
16724	40	603	85	234	PN16	MÉTRICO
16725	50	780	99	242	PN16	MÉTRICO
16726	63	1133	116	306	PN16	MÉTRICO
16727	75	3689	150	414	PN10	MÉTRICO
16728	90	5900	178	465	PN10	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es