



Válvulas de bola 'Basic'

Salida R/Macho - Viton - Sistema Basic® ITEM 225

REFERENCIA	DESCRIPCIÓN	Peso neto	Volumen (m ³)	contenido.peso bruto	Unidades lote
1011501	VALV.ENLACE S/M VITON 1/2"	0.173	0.02244	7.54	40
1011502	VALV.ENLACE S/M VITON 3/4"	0.233	0.02244	9.82	40
1011503	VALV.ENLACE S/M VITON 1"	0.381	0.03682	12.03	30
1011504	VALV.ENLACE S/M VITON 1 1/4"	0.659	0.03129	13.77	20
1011505	VALV.ENLACE S/M VITON 1 1/2"	0.956	0.03682	14.94	15
1011506	VALV.ENLACE S/M VITON 2"	1.522	0.04717	15.97	10
1011507	VALV.ENLACE S/M VITON 2 1/2" VITON	2.976	0.03129	12.48	4
1011508	VALV.ENLACE S/M VITON 3" VITON	4.858	0.02243	10.20	2



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es




ITEM 225 | Salida R/Macho - Viton - Sistema Basic®

CÓDIGO	r	DN	PESO (g)	A	B	C	D	F	PN	TIPO ROSCA
11501	1/2"	15	173	118	52	14	78	47	PN16	BSP
11502	3/4"	20	226	130	59	16	84	51	PN16	BSP
11503	1"	25	381	160	70	19	97	66	PN16	BSP
11504	1 1/4"	32	658	176	84	21	128	72	PN16	BSP
11505	1 1/2"	40	956	197	99	22	142	77	PN16	BSP
11506	2"	50	1522	223	121	25	165	90	PN16	BSP
11507	2 1/2"	65	2976	284	151	31	222	121	PN10	BSP
11508	3"	80	4858	323	175	33	244	141	PN10	BSP





Documentación de Producto



Certificados de Producto

Certificados de Empresa



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es