




Accesorios de presión PVC-U

Te 90° Enc. R/H Reforzada

ITEM 436


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volumen (m³)	contenido.peso bruto	Unidades por lote
1002180	TE 90° ENC-R/H CENTRO REF 20-1/2"	0.034	0.00892	3.54	100
1002181	TE 90° ENC-R/H CENTRO REF 25-3/4"	0.051	0.01553	5.41	100
1002182	TE 90° ENC-R/H CENTRO REF 32-1"	0.090	0.02244	6.82	70
1002183	TE 90° ENC-R/H CENTRO REF 40-1 1/4"	0.165	0.03682	13.82	80
1002184	TE 90° ENC-R/H CENTRO REF 50-1 1/2"	0.218	0.04717	14.93	65
1002185	TE 90° ENC-R/H CENTRO REF 63-2"	0.369	0.06347	14.85	38
1002186	TE 90° ENC-R/H CENTRO REF 75-2 1/2"	0.575	0.04717	12.12	20
1002187	TE 90° ENC-R/H CENTRO REF 90-3"	1.055	0.04717	13.30	12
1002188	TE 90° ENC-R/H CENTRO REF 110-4"	1.685	0.06149	17.77	10






ITEM 436 | Te 90° Enc. R/H Reforzada


Código	A-a	Peso (g)	B	C	D	E	PN	ROSCA
02180	20-1/2"	34	27	16	56	16	PN10	BSP
02181	25-3/4"	56	33	19	66	17	PN11	BSP
02182	32-1"	96	41	22	79	21	PN12	BSP
02183	40-1 1/4"	165	50	26	95	23	PN13	BSP
02184	50-1 1/2"	218	61	31	114	24	PN14	BSP
02185	63-2"	352	75	38	141	28	PN15	BSP
02186	75-2 1/2"	575	90	45	166	32	PN16	BSP
02187	90-3"	1022	108	51	199	35	PN17	BSP
02188	110-4"	1562	131	61	238	39	PN18	BSP



Documentação do Produto



Certificados do Produto



Certificados da Empresa

