




'basic' bi-directional ball valve

Plain/threaded outlet - double acting spring return actuator - PTFE 2 ITEM 664



REFERENCIA	DESCRIPCION	Peso líquido	Volumen (m³)	contenido.peso bruto	Unidades por lote
111D630	V.BOLA BIDIREC.ACT.NEUM. D/E S/MIXTA 20-1/2"	0.862	0.03648	0.86	1
111D631	V.BOLA BIDIREC.ACT.NEUM. D/E S/MIXTA 25-3/4"	0.922	0.03648	0.92	1
111D632	V.BOLA BIDIREC.ACT.NEUM. D/E S/MIXTA 32-1"	1.845	0.03648	1.85	1
111D633	V.BOLA BIDIREC.ACT.NEUM. D/E S/MIXTA 40-1 1/4"	2.099	0.03648	2.10	1
111D634	V.BOLA BIDIREC.ACT.NEUM. D/E S/MIXTA 50-1 1/2"	2.475	0.04460	2.48	1
111D635	V.BOLA BIDIREC.ACT.NEUM. D/E S/MIXTA 63-2"	3.022	0.04460	3.02	1
111D636	V.BOLA BIDIREC.ACT.NEUM. D/E S/MIXTA 75-2 1/2"	6.121	0.02243	0.00	1
111D637	V.BOLA BIDIREC.ACT.NEUM. D/E S/MIXTA 90-3"	7.190	0.02243	0.00	1





ITEM 664 | Plain/threaded outlet - double acting spring return actuator - PTFE

C??DIGO	f - r	Actuador	PESO (g)	DN	A	B	C	D	E	F	G	PN	TIPO ROSCA
11D630	20-1/2"	H050DE	1285	15	86	55	16	192	138	44	17	PN16	BSP
11D631	25-3/4"	H050DE	1333	20	99	62	19	197	138	49	20	PN16	BSP
11D632	32-1"	H050DE	1478	25	122	72	23	209	138	66	23	PN16	BSP
11D633	40-1 1/4"	H050DE	1748	32	131	88	25	232	138	71	26	PN16	BSP
11D634	50-1 1/2"	H050DE	2079.2	40	155	103	31	249	138	75	33	PN16	BSP
11D635	63-2"	H050DE	2664.8	50	180	120	38	291	138	89	29	PN16	BSP
11D636	75-2 1/2"	H075DE	5580	65	202	150	45	375	210	119	33	PN10	BSP
11D637	90-3"	H075DE	7190	80	245	181	51	402	210	140	36	PN10	BSP





Documenta????o do Produto



Certificados do Produto

Certificados da Empresa

