




'basic' bi-directional ball valve


Solvent socket outlet - single acting spring return actuator - FPM

ITEM 673




REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m ³)	contenido.peso bruto	Unidades por lote
111D550	V.BOLA BIDIRECC. ACT.NEUM S/E S/ENC 20 VITON	1.612	0.03648	2.20	1
111D551	V.BOLA BIDIRECC. ACT.NEUM S/E S/ENC 25 VITON	1.668	0.03648	2.25	1
111D552	V.BOLA BIDIRECC. ACT.NEUM S/E S/ENC 32 VITON	1.840	0.03648	2.43	1
111D553	V.BOLA BIDIRECC. ACT.NEUM S/E S/ENC 40 VITON	2.690	0.03648	3.28	1
111D554	V.BOLA BIDIRECC. ACT.NEUM S/E S/ENC 50 VITON	3.056	0.04460	3.72	1
111D555	V.BOLA BIDIRECC. ACT.NEUM S/E S/ENC 63 VITON	3.572	0.04460	4.24	1
111D556	V.BOLA BIDIRECC. ACT.NEUM S/E S/ENC 75 VITON	5.640	0.02243	0.00	1
111D557	V.BOLA BIDIRECC. ACT.NEUM S/E S/ENC 90 VITON	11.430	0.02243	11.92	1






ITEM 673 | Solvent socket outlet - single acting spring return actuator - FPM

CÓDIGO	f	Actuador	PESO (g)	DN	A	B	C	D	E	F	PN	MEDIDA
11D550	20	H050SE	1377.6	15	86	55	16	192	138	44	PN16	MÉTRICO
11D551	25	H050SE	1419.48	20	94	62	19	197	138	49	PN16	MÉTRICO
11D552	32	H050SE	1558.8	25	122	72	23	208	138	66	PN16	MÉTRICO
11D553	40	H063SE	2418.7	32	131	88	25	248	155	71	PN16	MÉTRICO
11D554	50	H063SE	2675.84	40	150	103	31	265	155	75	PN16	MÉTRICO
11D555	63	H063SE	3139.8	50	177	120	38	307	155	89	PN16	MÉTRICO
11D556	75	H075SE	6020	65	216	150	45	376	210	119	PN10	MÉTRICO
11D557	90	H100SE	11050	80	257	181	51	426	280	140	PN10	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

