



Brass pressure fittings


Straight coupling, male threaded

ITEM 150



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1020037	E. M/MACHO LATON 20-1/2"	0.079	0.00473	4.06	50
1020038	E. M/MACHO LATON 25-3/4"	0.125	0.00473	5.10	40
1020039	E. M/MACHO LATON 32-1"	0.204	0.00892	8.35	40
1020040	E. M/MACHO LATON 40-1 1/4"	0.312	0.01553	14.38	45
1020041	E. M/MACHO LATON 50-1 1/2"	0.494	0.00892	9.08	18
1020042	E. M/MACHO LATON 63-2"	0.816	0.01553	13.38	16
1020043	E. M/MACHO LATON 75-2 1/2"	1.679	0.00892	10.23	6
1020044	E. M/MACHO LATON 90-3"	2.106	0.01553	12.97	6
1020045	E. M/MACHO LATON 110-4"	3.176	0.00892	6.54	2





ITEM 150 | Straight coupling, male threaded

Código	f tubo-R	Peso (g)	A	B	C	D	E	r	PN	TIPO ROSCA
20037	20-1/2"	90	32.5	35	44.5	8	21	1/2"	PN25	BSP
20038	25-3/4"	143	36	41.5	50	9.5	26	3/4"	PN25	BSP
20039	32-1"	194	44.5	49.5	61.5	12	33	1"	PN25	BSP
20040	40-1 1/4"	346	50.5	61	68	13.5	41.8	1 1/4"	PN25	BSP
20041	50-1 1/2"	522	49.8	74.3	67.6	11	51.2	1 1/2"	PN25	BSP
20042	63-2"	822	65	91.2	87	14	64	2"	PN25	BSP
20043	75-2 1/2"	1420	135	88	99.8				PN25	BSP
20044	90-3"	2163	154	104	111.4				PN25	BSP
20045	110-4"	3230	179	129	145				PN25	BSP





Documentação do Produto



Certificados do Produto

Certificados da Empresa

