




Brass pressure fittings

Straight coupling

ITEM 149

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1020019	E.RECTO LATON B/I 20	0.120	0.00892	6.18	50
1020020	E.RECTO LATON B/I 25	0.201	0.00892	7.24	35
1020021	E.RECTO LATON B/I 32	0.324	0.01553	16.51	50
1020022	E.RECTO LATON B/I 40	0.484	0.01553	17.77	36
1020023	E.RECTO LATON B/I 50	0.759	0.01553	12.47	16
1020024	E.RECTO LATON B/I 63	1.346	0.01553	13.79	10
1020025	E.RECTO LATON B/I 75	2.547	0.01553	15.61	6
1020026	E.RECTO LATON B/I 90	3.087	0.02244	19.06	6
1020027	E.RECTO LATON B/I 110	5.664	0.00892	11.52	2





ITEM 149 | Straight coupling

Código	f tubo	Peso (g)	A	B	C	D	E	F	PN	MEDIDA
20019	20	151	71	35	5.7	32.6	21	32.6	PN25	MÉTRICO
20020	25	245	73.3	41.5	2.3	35.5	26	35.5	PN25	MÉTRICO
20021	32	308	87.2	49.5	2.4	42.4	33	42.4	PN25	MÉTRICO
20022	40	556	101	61	2	49.5	41.8	49.5	PN25	MÉTRICO
20023	50	837	105	74.3	1.4	51.8	51.2	51.8	PN25	MÉTRICO
20024	63	1350	135	91.2	4	65.5	64	65.5	PN25	MÉTRICO
20025	75	2330	135	88	150.6				PN25	MÉTRICO
20026	90	3350	154	104	169.8				PN25	MÉTRICO
20027	110	4950	179	129	220				PN25	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

