




Brass pressure fittings

Tee, female threaded outlet

ITEM 157

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1020057	TE R/H LATON 20-1/2"	0.171	0.00892	10.43	60
1020058	TE R/H LATON 25-3/4"	0.285	0.00892	11.60	40
1020059	TE R/H LATON 32-1"	0.455	0.01553	11.70	25
1020060	TE R/H LATON 40-1 1/4"	0.741	0.02244	15.31	20
1020061	TE R/H LATON 50-1 1/2"	1.124	0.01553	11.57	10
1020062	TE R/H LATON 63-2"	1.790	0.01553	9.28	5
1020063	TE R/H LATON 75-2 1/2"	2.901	0.02244	12.09	4
1020064	TE R/H LATON 90-3"	4.776	0.02244	14.82	3





ITEM 157 | Tee, female threaded outlet

Código	f tubo-R	Peso (g)	A	B	C	D	E	F	r	PN	TIPO ROSCA
20057	20-1/2"	194	87	35	32.5	23.5	21	26.5	1/2"	PN25	BSP
20058	25-3/4"	313	91.5	41.5	35	29.5	26	34	3/4"	PN25	BSP
20059	32-1"	447	114	48.5	43	33.5	33	40	1"	PN25	BSP
20060	40-1 1/4"	779	126	61	48.5	38.5	41.8	50	1 1/4"	PN25	BSP
20061	50-1 1/2"	1310	144.5	74.3	50	52	51.2	56	1 1/2"	PN25	BSP
20062	63-2"	2013	184	91.2	65	68	64	66.5	2"	PN25	BSP
20063	75-2 1/2"	2820	135	225.6						PN25	BSP
20064	90-3"	4005	154	258.4						PN25	BSP





Documentação do Produto



Certificados do Produto

Certificados da Empresa

