




'Compact' ball valves

female threaded outlet - PE 1

ITEM 570

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
111C040	VALVULA COMPACT R/H-PE 20-1/2"	0.122	0.00892	2.61	20
111C041	VALVULA COMPACT R/H-PE 25-3/4"	0.149	0.00892	3.12	20
111C042	VALVULA COMPACT R/H-PE 32-1"	0.250	0.01553	4.07	15
111C043	VALVULA COMPACT R/H-PE 40-1 1/4"	0.381	0.02244	6.20	15
111C044	VALVULA COMPACT R/H-PE 50-1 1/2"	0.567	0.03129	6.24	10
111C045	VALVULA COMPACT R/H-PE 63-2"	1.016	0.02243	5.57	5





ITEM 570 | female threaded outlet - PE 1

PESO (g)	CÓDIGO	d-r	DN	A	B	C	D	F	PN	TIPO ROSCA
118.58	11C040	20-1/2"	15	152	48	65	17	80	PN16	BSP
149.38	11C041	25-3/4"	20	159	53	65	20	80	PN16	BSP
242.55	11C042	32-1"	25	176	59	70	23	101	PN16	BSP
415.8	11C043	40-1 1/4"	32	192	69	70	26	130	PN16	BSP
628.32	11C044	50-1 1/2"	40	225	83	79	33	130	PN16	BSP
1004.08	11C045	63-2"	50	256	104	89	39	172	PN16	BSP





Documentação do Produto



Certificados do Produto

Certificados da Empresa

