




PP compression fittings

Reducing tee

ITEM 485

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
112E075	REDUCED TEE 25-20	0.177	0.04717	13.15	70
112E076	REDUCED TEE 32-25	0.266	0.04460	10.34	36
112E077	REDUCED TEE 40-32	0.454	0.04880	12.11	25
112E078	REDUCED TEE 50-40	0.662	0.04460	11.48	16
112E079	REDUCED TEE 63-50	1.125	0.06347	12.15	10
112E080	REDUCED TEE 75-63	2.097	0.06150	15.60	7
112E081	REDUCED TEE 90-75	3.598	0.06347	15.29	4
112E082	REDUCED TEE 110-90	5.380	0.04836	11.60	2
112E280	REDUCED TEE 32-20	0.241	0.03648	9.17	36
112E282	REDUCED TEE 50-32	0.000	0.00000	0.00	16





ITEM 485 | Reducing tee

Código	f tubo	Peso (g)	A	a	B	b	C	D	PN	MEDIDA
12E075	25-20	171	26	21	55	46	98	155	PN16	MÉTRICO
12E280	32-20	245	33	21	61	46	106	170	PN16	MÉTRICO
12E076	32-25	266	33	26	64	55	111	170	PN16	MÉTRICO
12E077	40-32	432	42	33	76	64	130	206	PN16	MÉTRICO
12E282	50-32	590	51	33	91	64	150	235	PN16	MÉTRICO
12E078	50-40	662	51	42	91	76	155	235	PN16	MÉTRICO
12E079	63-50	1110	64	51	109	91	177	283	PN16	MÉTRICO
12E080	75-63	1873	77	64	133	109	218	344	PN10	MÉTRICO
12E081	90-75	3606	92	77	159	133	258	411	PN10	MÉTRICO
12E082	110-90	5340	112	92	183	159	307	466	PN10	MÉTRICO





ITEM 485 | Reducing tee





Documentação do Produto



Certificados do Produto

Certificados da Empresa

