




## Electrofusion fittings/Welding fittings

# Electrofusion 45° elbow

## ITEM 161

| REFERÊNCIA | DESCRIÇÃO                    | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|------------------------------|--------------|-------------|----------------------|-------------------|
| 1019033    | CODO 45° ELECTROSOLDABLE 32  | 0.083        | 0.01553     | 1.98                 | 20                |
| 1019034    | CODO 45° ELECTROSOLDABLE 40  | 0.103        | 0.00892     | 1.22                 | 10                |
| 1019035    | CODO 45° ELECTROSOLDABLE 50  | 0.174        | 0.01553     | 2.07                 | 10                |
| 1019036    | CODO 45° ELECTROSOLDABLE 63  | 0.242        | 0.01553     | 2.75                 | 10                |
| 1019037    | CODO 45° ELECTROSOLDABLE 75  | 0.345        | 0.02243     | 3.25                 | 8                 |
| 1019038    | CODO 45° ELECTROSOLDABLE 90  | 0.756        | 0.03682     | 6.60                 | 8                 |
| 1019039    | CODO 45° ELECTROSOLDABLE 110 | 0.924        | 0.04880     | 6.12                 | 6                 |
| 1019040    | CODO 45° ELECTROSOLDABLE 125 | 1.228        | 0.04460     | 8.10                 | 6                 |
| 1019042    | CODO 45° ELECTROSOLDABLE 160 | 2.714        | 0.08678     | 14.59                | 5                 |






## ITEM 161 | Electrofusion 45° elbow

| Código | f tubo-A | Peso (g) | B   | C   | D   | PN   | MEDIDA  |
|--------|----------|----------|-----|-----|-----|------|---------|
| 19033  | 32       | 87       | 31  | 45  | 42  | PN16 | MÉTRICO |
| 19034  | 40       | 121      | 41  | 55  | 52  | PN16 | MÉTRICO |
| 19035  | 50       | 140      | 47  | 67  | 67  | PN16 | MÉTRICO |
| 19036  | 63       | 274      | 54  | 84  | 68  | PN16 | MÉTRICO |
| 19037  | 75       | 437      | 48  | 97  | 68  | PN16 | MÉTRICO |
| 19038  | 90       | 537      | 67  | 118 | 97  | PN16 | MÉTRICO |
| 19039  | 110      | 974      | 80  | 139 | 112 | PN16 | MÉTRICO |
| 19040  | 125      | 1420     | 85  | 158 | 120 | PN16 | MÉTRICO |
| 19042  | 160      | 1800     | 100 | 197 | 150 | PN16 | MÉTRICO |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

