






Spare parts

Female threaded outlet

ITEM 640


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
111D821	SALIDA R/H 1/2"	0.040	0.00892	2.56	60
111D822	SALIDA R/H 3/4"	0.053	0.00892	2.31	40
111D823	SALIDA R/H 1"	0.081	0.00892	5.13	60
111D824	SALIDA R/H 1 1/4"	0.131	0.00892	3.86	28
111D825	SALIDA R/H 1 1/2"	0.227	0.01553	7.22	30
111D826	SALIDA R/H 2"	0.332	0.02244	8.51	24
111D827	SALIDA R/H 2 1/2"	0.582	0.00891	2.52	4
111D828	SALIDA R/H 3"	0.973	0.01553	4.22	4






ITEM 640 | Female threaded outlet

CÓDIGO	r	PESO (g)	DN	A	B	PN	TIPO ROSCA
11D821	1/2"	39	15	55	17	PN16	BSP
11D822	3/4"	56	20	62	20	PN16	BSP
11D823	1"	79	25	72	23	PN16	BSP
11D824	1 1/4"	143	32	88	26	PN16	BSP
11D825	1 1/2"	228	40	103	33	PN16	BSP
11D826	2"	374	50	120	29	PN16	BSP
11D827	2 1/2"	585	65	150	33	PN10	BSP
11D828	3"	1055	80	181	36	PN10	BSP





Documentação do Produto



Certificados do Produto

Certificados da Empresa

