




Flanges and adaptors

Compact flange, solvent socket outlet ITEM 070



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1010045	BRIDA COMPACTA S/ENCOLAR 50	0.319	0.03129	13.35	40
1010046	BRIDA COMPACTA S/ENCOLAR 63	0.430	0.03682	16.04	36
1010047	BRIDA COMPACTA S/ENCOLAR 75	0.554	0.04117	13.94	24
1010048	BRIDA COMPACTA S/ENCOLAR 90	0.744	0.06150	21.76	28
1010049	BRIDA COMPACTA S/ENCOLAR 110	1.076	0.04880	17.80	16
1010050	BRIDA COMPACTA S/ENCOLAR 125	1.213	0.06347	20.19	16
1010051	BRIDA COMPACTA S/ENCOLAR 140	1.503	0.06150	15.95	10
1010052	BRIDA COMPACTA S/ENCOLAR 160	2.152	0.06879	17.81	8





ITEM 070 | Compact flange, solvent socket outlet

Código	A	Peso (g)	B	K	C	D	PN	MEDIDA
10045	50	340	31	110	18	4x18	PN16	MÉTRICO
10046	63	408	38	125	18	4x18	PN16	MÉTRICO
10047	75	544	45	145	19	4x18	PN16	MÉTRICO
10048	90	716	51	146-160	21	8x18	PN16	MÉTRICO
10049	110	977	61	178-190	23	8x18	PN16	MÉTRICO
10050	125	1160	69	190	24	8x18	PN16	MÉTRICO
10051	140	1467	76	210-216	27	8x18	PN16	MÉTRICO
10052	160	2050	86	235-241	28	8x22	PN10	MÉTRICO



Documentação do Produto



Certificados do Produto



Certificados da Empresa

