




## Flanges and adaptors

# Galvanized steel threaded flange ITEM 431

| REFERÊNCIA | DESCRIÇÃO                   | Peso líquido | Volume (m <sup>3</sup> ) | contenido.peso bruto | Unidades por lote |
|------------|-----------------------------|--------------|--------------------------|----------------------|-------------------|
| 1010586    | BRIDA ACERO GALV R/H 2"     | 2.315        | 0.00708                  | 9.50                 | 4                 |
| 1010587    | BRIDA ACERO GALV R/H 2 1/2" | 2.875        | 0.00708                  | 11.74                | 4                 |
| 1010588    | BRIDA ACERO GALV R/H 3"     | 3.470        | 0.00708                  | 14.12                | 4                 |
| 1010589    | BRIDA ACERO GALV R/H 4"     | 4.105        | 0.00708                  | 16.66                | 4                 |





## ITEM 431 | Galvanized steel threaded flange

| Código | A      | Peso (g) | K   | C  | D    | PN   | ROSCA |
|--------|--------|----------|-----|----|------|------|-------|
| 10586  | 2"     | 2010     | 125 | 12 | 4x18 | PN10 | BSP   |
| 10587  | 2 1/2" | 2290     | 145 | 13 | 4x18 | PN10 | BSP   |
| 10588  | 3"     | 2425     | 160 | 13 | 4x18 | PN10 | BSP   |
| 10589  | 4"     | 2875     | 170 | 13 | 8x18 | PN10 | BSP   |



## Documentação do Produto



## Certificados do Produto



## Certificados da Empresa

