



GRPP hinged sleeve

Hinged sleeve solvent socket outlet

ITEM 136



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m ³)	contenido.peso bruto	Unidades por lote
1005001	COLLARIN BISAGRA 250 S/ENC 50	3.943	0.04836	8.58	2
1005002	COLLARIN BISAGRA 250 S/ENC 63	0.340	0.04836	8.61	2
1005003	COLLARIN BISAGRA 250 S/ENC 75	4.008	0.04836	8.71	2
1005004	COLLARIN BISAGRA 250 S/ENC 90	4.038	0.04836	8.77	2
1005005	COLLARIN BISAGRA 250 S/ENC 125	4.058	0.04836	8.81	2
1005006	COLLARIN BISAGRA 250 S/ENC 110	4.168	0.04836	9.03	2
1005007	COLLARIN BISAGRA 315 S/ENC 50	6.259	0.04880	6.85	1
1005008	COLLARIN BISAGRA 315 S/ENC 63	6.688	0.04880	7.28	1
1005009	COLLARIN BISAGRA 315 S/ENC 75	6.483	0.04880	7.06	1
1005010	COLLARIN BISAGRA 315 S/ENC 90	6.433	0.04880	7.02	1
1005011	COLLARIN BISAGRA 315 S/ENC 110	6.571	0.04880	7.16	1
1005012	COLLARIN BISAGRA 315 S/ENC 125	6.405	0.04880	6.99	1
1005013	COLLARIN BISAGRA 225 S/ENC 125	3.628	0.04836	7.93	2
1005020	COLLARIN BISAGRA 225 S/ENC 50	3.608	0.04836	7.91	2
1005021	COLLARIN BISAGRA 225 S/ENC 63	3.586	0.04836	7.86	2
1005022	COLLARIN BISAGRA 225 S/ENC 75	3.531	0.04836	7.75	2
1005023	COLLARIN BISAGRA 225 S/ENC 90	3.606	0.04836	7.90	2
1005024	COLLARIN BISAGRA 225 S/ENC 110	3.781	0.04836	8.25	2
1005334	COLLARIN BISAGRA 225 S/ENC 20	3.562	0.04836	7.96	2
1005335	COLLARIN BISAGRA 225 S/ENC 25	3.553	0.04836	7.95	2
1005336	COLLARIN BISAGRA 225 S/ENC 32	3.644	0.04836	7.96	2
1005337	COLLARIN BISAGRA 225 S/ENC 40	3.718	0.04836	8.11	2
1005338	COLLARIN BISAGRA 250 S/ENC 20	4.181	0.04836	9.03	2






GRPP hinged sleeve

Hinged sleeve solvent socket outlet

ITEM 136



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	Peso bruto	Unidades por lote
1005339	COLLARIN BISAGRA 250 S/ENC 25	3.924	0.04836	8.69	2
1005340	COLLARIN BISAGRA 250 S/ENC 32	3.914	0.04836	8.67	2
1005341	COLLARIN BISAGRA 250 S/ENC 40	3.899	0.04836	8.64	2
1005342	COLLARIN BISAGRA 315 S/ENC 20	5.185	0.06347	6.09	1
1005343	COLLARIN BISAGRA 315 S/ENC 25	5.176	0.04880	5.94	1
1005344	COLLARIN BISAGRA 315 S/ENC 32	5.166	0.04880	5.93	1
1005345	COLLARIN BISAGRA 315 S/ENC 40	5.151	0.04880	5.91	1
1005346	COLLARIN BISAGRA 160 S/ENC 20	3.221	0.03648	7.14	2
1005347	COLLARIN BISAGRA 160 S/ENC 25	3.333	0.04460	7.36	2
1005348	COLLARIN BISAGRA 160 S/ENC 32	3.223	0.04460	7.20	2
1005349	COLLARIN BISAGRA 160 S/ENC 40	3.187	0.04460	7.20	2
1005350	COLLARIN BISAGRA 160 S/ENC 50	3.186	0.04460	7.13	2
1005351	COLLARIN BISAGRA 160 S/ENC 63	3.251	0.03648	7.12	2
1005352	COLLARIN BISAGRA 160 S/ENC 75	3.256	0.03648	7.11	2
1005353	COLLARIN BISAGRA 160 S/ENC 90	3.264	0.03648	7.15	2
1005354	COLLARIN BISAGRA 160 S/ENC 110	3.391	0.03648	7.40	2
1005355	COLLARIN BISAGRA 160 S/ENC 125	3.271	0.03648	7.16	2
1005401	COLLARIN BISAGRA 200 S/ENC 20	3.431	0.04460	7.59	2
1005402	COLLARIN BISAGRA 200 S/ENC 25	3.411	0.04460	7.52	2
1005403	COLLARIN BISAGRA 200 S/ENC 32	3.291	0.04460	7.34	2
1005404	COLLARIN BISAGRA 200 S/ENC 40	3.344	0.04460	7.38	2
1005405	COLLARIN BISAGRA 200 S/ENC 50	3.293	0.04460	7.34	2
1005406	COLLARIN BISAGRA 200 S/ENC 63	3.288	0.04460	7.33	2






GRPP hinged sleeve


Hinged sleeve solvent socket outlet

ITEM 136




REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	Peso bruto	Unidades por lote
1005407	COLLARIN BISAGRA 200 S/ENC 75	3.211	0.04460	7.18	2
1005408	COLLARIN BISAGRA 200 S/ENC 90	3.256	0.04460	7.27	2
1005409	COLLARIN BISAGRA 200 S/ENC 110	3.391	0.04460	7.54	2
1005410	COLLARIN BISAGRA 200 S/ENC 125	3.321	0.04460	7.40	2
1005461	COLLARIN BISAGRA 400 S/ENC 20	6.906	0.06347	7.81	1
1005462	COLLARIN BISAGRA 400 S/ENC 25	6.897	0.06347	7.80	1
1005463	COLLARIN BISAGRA 400 S/ENC 32	6.887	0.06347	7.79	1
1005464	COLLARIN BISAGRA 400 S/ENC 40	6.872	0.06347	7.77	1
1005465	COLLARIN BISAGRA 400 S/ENC 50	6.511	0.06347	7.31	1
1005466	COLLARIN BISAGRA 400 S/ENC 63	6.824	0.06347	7.72	1
1005467	COLLARIN BISAGRA 400 S/ENC 75	6.800	0.06347	7.60	1
1005468	COLLARIN BISAGRA 400 S/ENC 90	6.701	0.06347	7.50	1
1005469	COLLARIN BISAGRA 400 S/ENC 110	6.846	0.06347	7.65	1
1005470	COLLARIN BISAGRA 400 S/ENC 125	6.801	0.06347	7.60	1
1005471	COLLARIN BISAGRA 400 S/ENC 140	7.300	0.06347	8.18	1
1005472	COLLARIN BISAGRA 400 S/ENC 160	7.512	0.08678	8.55	1
1005478	COLLARIN BISAGRA 315 S/ENC 140	6.130	0.04880	7.12	1
1005479	COLLARIN BISAGRA 315 S/ENC 160	7.145	0.06347	7.98	1





ITEM 136 | Hinged sleeve solvent socket outlet

CÓDIGO	f tubo	f salida	PESOS	A	B	C	D	E	PN	MEDIDA
05346	160	20	3221	160	225	224	8	16	PN6	MÉTRICO
05347	160	25	3212	160	225	224	8	19	PN6	MÉTRICO
05348	160	32	3202	160	225	224	8	22	PN6	MÉTRICO
05349	160	40	3187	160	225	224	8	26	PN6	MÉTRICO
05350	160	50	3172	160	225	224	8	31	PN6	MÉTRICO
05351	160	63	3139	160	225	231	15	38	PN6	MÉTRICO
05352	160	75	3144	160	225	237	21	44	PN6	MÉTRICO
05353	160	90	3230	160	225	244	28	51	PN6	MÉTRICO
05354	160	110	3269	160	225	279	63	61	PN6	MÉTRICO
05355	160	125	3162	160	225	285	69	69	PN6	MÉTRICO





ITEM 136 | Hinged sleeve solvent socket outlet

05401	200	20	3279	200	227	258	8	16	PN6	MÉTRICO
05402	200	25	3270	200	227	258	8	19	PN6	MÉTRICO
05403	200	32	3260	200	227	258	8	22	PN6	MÉTRICO
05404	200	40	3245	200	227	258	8	26	PN6	MÉTRICO
05405	200	50	3230	200	227	258	8	31	PN6	MÉTRICO
05406	200	63	3197	200	227	265	15	38	PN6	MÉTRICO
05407	200	75	3202	200	227	271	21	44	PN6	MÉTRICO
05408	200	90	3288	200	227	278	28	51	PN6	MÉTRICO
05409	200	110	3327	200	227	313	63	61	PN6	MÉTRICO
05410	200	125	3220	200	227	319	69	69	PN6	MÉTRICO
05334	225	20	3562	225	225	282	8	16	PN6	MÉTRICO
05335	225	25	3553	225	225	282	8	19	PN6	MÉTRICO
05336	225	32	3543	225	225	282	8	22	PN6	MÉTRICO
05337	225	40	3528	225	225	282	8	26	PN6	MÉTRICO
05020	225	50	3513	225	225	282	8	31	PN6	MÉTRICO
05021	225	63	3480	225	225	289	15	38	PN6	MÉTRICO
05022	225	75	3485	225	225	295	21	44	PN6	MÉTRICO
05023	225	90	3571	225	225	302	28	51	PN6	MÉTRICO
05024	225	110	3610	225	225	337	63	61	PN6	MÉTRICO
05013	225	125	3503	225	225	343	69	69	PN6	MÉTRICO
05338	250	20	3933	250	239	307	8	16	PN6	MÉTRICO
05339	250	25	3924	250	239	307	8	19	PN6	MÉTRICO
05340	250	32	3914	250	239	307	8	22	PN6	MÉTRICO
05341	250	40	3899	250	239	307	8	26	PN6	MÉTRICO
05001	250	50	3884	250	239	307	8	31	PN6	MÉTRICO
05002	250	63	3851	250	239	314	15	38	PN6	MÉTRICO





ITEM 136 | Hinged sleeve solvent socket outlet

05003	250	75	3856	250	239	320	21	44	PN6	MÉTRICO
05004	250	90	3942	250	239	327	28	51	PN6	MÉTRICO
05006	250	110	3981	250	239	362	63	61	PN6	MÉTRICO
05005	250	125	3874	250	239	368	69	69	PN6	MÉTRICO
05342	315	20	5185	315	250	369	8	16	PN6	MÉTRICO
05343	315	25	5176	315	250	369	8	19	PN6	MÉTRICO
05344	315	32	5166	315	250	369	8	22	PN6	MÉTRICO
05345	315	40	5151	315	250	369	8	26	PN6	MÉTRICO
05007	315	50	5136	315	250	369	8	31	PN6	MÉTRICO
05008	315	63	5103	315	250	376	15	38	PN6	MÉTRICO
05009	315	75	5108	315	250	382	21	44	PN6	MÉTRICO
05010	315	90	5194	315	250	389	28	51	PN6	MÉTRICO
05011	315	110	5233	315	250	424	63	61	PN6	MÉTRICO
05012	315	125	5126	315	250	430	69	69	PN6	MÉTRICO
05478	315	140	6130	315	282	445	55	76	PN6	MÉTRICO
05479	315	160	6185	315	282	455	65	86	PN6	MÉTRICO
05461	400	20	6906	400	282	473	8	16	PN6	MÉTRICO
05462	400	25	6897	400	282	473	8	19	PN6	MÉTRICO
05463	400	32	6887	400	282	473	8	22	PN6	MÉTRICO
05464	400	40	6872	400	282	473	8	26	PN6	MÉTRICO
05465	400	50	6857	400	282	473	8	31	PN6	MÉTRICO
05466	400	63	6824	400	282	480	15	38	PN6	MÉTRICO
05467	400	75	6829	400	282	486	21	44	PN6	MÉTRICO
05468	400	90	6915	400	282	493	28	51	PN6	MÉTRICO
05469	400	110	6954	400	282	503	38	61	PN6	MÉTRICO
05470	400	125	6847	400	282	534	69	69	PN6	MÉTRICO






ITEM 136 | Hinged sleeve solvent socket outlet

05471	400	140	7429	400	282	530	55	76	PN6	MÉTRICO
05472	400	160	7475	400	282	540	65	86	PN6	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

