




Butterfly valves

Implex valve manually operated - FPM seal ITEM 772

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m ³)	contenido.peso bruto	Unidades por lote
1009214	V.IMPLEX M REDUCTOR PVC VITON 63	2.512	0.02244	3.00	1
1009215	V.IMPLEX M REDUCTOR PVC VITON 75	2.515	0.04460	3.24	1
1009434	V.IMPLEX M. REDUCTOR PVC VITON 90	3.810	0.04460	4.54	1
1009435	V.IMPLEX M. REDUCTOR PVC VITON 110	4.070	0.04460	4.74	1
1009436	V.IMPLEX M. REDUCTOR PVC VITON 125	4.375	0.04460	5.04	1
1009437	V.IMPLEX M. REDUCTOR PVC VITON 140	4.700	0.06150	5.54	1
1009438	V.IMPLEX M. REDUCTOR PVC VITON 160	5.523	0.03648	6.37	1
1009221	V.IMPLEX M. REDUCTOR PVC VITON 200/225	6.392	0.06150	7.41	1
1009222	V.IMPLEX M REDUCTOR PVC VITON 250	14.550	0.13096	15.71	1
1009223	V.IMPLEX M. REDUCTOR PVC VITON 315	20.800	0.06879	21.51	1





ITEM 772 | Implex valve manually operated - FPM seal

CÓDIGO	f	PESO	A	B	D	K	PN	MEDIDA
09214	63	3145	362	136	18x4	125-145	PN10	MÉTRICO
09215	75	3145	362	136	18x4	125-145	PN10	MÉTRICO
09434	90	3810	386	130	18x8	146-160	PN10	MÉTRICO
09435	110	4070	406	152	18x8	178-190	PN10	MÉTRICO
09436	125	4375	417	170	18x8	190	PN10	MÉTRICO
09437	140	4700	488	187	18x8	210-216	PN10	MÉTRICO
09438	160	5530	510	214	22x8	235-241	PN10	MÉTRICO
09221	200/225	7370	584	270	22x8	292-298	PN6	MÉTRICO
09222	250	14550	610	321	22x12	350-362	PN6	MÉTRICO
09223	315	22000	695	370	22x12	400-432	PN6	MÉTRICO





ITEM 772 | Implex valve manually operated - FPM seal

09224	400	31600	820	580	26x16	515	PN6	MÉTRICO
-------	-----	-------	-----	-----	-------	-----	-----	---------





Documentación del Producto



Certificados del Producto



Certificados da Empresa

