




Netvitc System butterfly valves

220V electric actuator, solvent socket outlet ITEM 173



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
109N300	V. M NET SYS M ELEC 63 C/B S/ENC	4.275	0.04460	5.00	1
109N301	V. M NET SYS M ELEC 75 C/B S/ENC	4.230	0.04460	5.06	1
109N302	V. M NET SYS M ELEC 90 C/B S/ENC	6.118	0.04460	6.85	1
109N303	V. M NET SYS M ELEC 110 C/B S/ENC	8.236	0.04460	8.93	1
109N304	V. M NET SYS M ELEC 125 C/B S/ENC	10.293	0.06150	11.27	1
109N305	V. M NET SYS M ELEC 140 C/B S/ENC	12.670	0.06150	13.59	1
109N306	V. M NET SYS M ELEC 160 C/B S/ENC	14.688	0.08677	15.71	1
109N307	V. M NET SYS M ELEC 200 C/B S/ENC	17.591	0.08677	19.63	1
109N308	V. M NET SYS M ELEC 225 C/B S/ENC	18.968	0.06150	19.80	1





ITEM 173 | 220V electric actuator, solvent socket outlet

CÓDIGO	f	BRIDA	Pesos	A	B	C	D	E	PN	MEDIDA
9N300	63	75	3832	138	218	42	449	177	PN10	MÉTRICO
9N301	75	75	3790	138	192	44	453	177	PN10	MÉTRICO
9N302	90	90	5136	164	235	52	477	177	PN10	MÉTRICO
9N303	110	110	5919	188	247	61	497	177	PN10	MÉTRICO
9N304	125	125	8093	203	282	70	563	177	PN10	MÉTRICO
9N305	140	140	11372	224	298	78	583	230	PN10	MÉTRICO
9N306	160	160	13111	251	315	86	605	230	PN10	MÉTRICO
9N307	200	200	15744	297	390	106	679	230	PN6	MÉTRICO
9N308	225	200	16764	297	476	120	679	230	PN6	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

