




Netvitc System butterfly valves

Double acting pneumatic actuator, solvent socket outlet ITEM 176



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
109N320	V/M NETVITC SYSTEM NEUM DE 63 C/B S/ENC	5.084	0.02243	5.40	1
109N321	V/M NETVITC SYSTEM NEUM DE 75 C/B S/ENC	4.074	0.02244	4.57	1
109N322	V/M NETVITC SYSTEM NEUM DE 90 C/B S/ENC	6.309	0.03129	6.89	1
109N323	V/M NETVITC SYSTEM NEUM DE 110 C/B S/ENC	7.325	0.03648	7.92	1
109N324	V/M NETVITC SYSTEM NEUM DE 125 C/B S/ENC	8.225	0.04460	8.96	1
109N325	V/M NETVITC SYSTEM NEUM DE 140 C/B S/ENC	10.372	0.06150	11.35	1
109N326	V/M NETVITC SYSTEM NEUM DE 160 C/B S/ENC	12.755	0.04460	13.50	1
109N327	V/M NETVITC SYSTEM NEUM DE 200 C/B S/ENC	19.222	0.08677	20.24	1
109N328	V/M NETVITC SYSTEM NEUM DE 225 C/B S/ENC	17.364	0.01553	17.60	1





ITEM 176 | Double acting pneumatic actuator, solvent socket outlet

CÓDIGO	f	BRIDA	Pesos	A	B	C	D	E	PN	MEDIDA
9N320	63	75	5432	138	218	42	376	205	PN10	MÉTRICO
9N321	75	75	5390	138	192	44	376	205	PN10	MÉTRICO
9N322	90	90	6236	164	235	52	400	205	PN10	MÉTRICO
9N323	110	110	7019	188	247	61	420	205	PN10	MÉTRICO
9N324	125	125	7993	203	282	70	431	205	PN10	MÉTRICO
9N325	140	140	10372	224	298	78	451	310	PN10	MÉTRICO
9N326	160	160	12111	251	315	86	473	310	PN10	MÉTRICO
9N327	200	200	16344	297	390	106	547	310	PN6	MÉTRICO
9N328	225	200	17364	297	476	120	547	310	PN6	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

