




Netvitc System butterfly valves

Single acting pneumatic actuator, solvent socket outlet ITEM 174

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m ³)	contenido.peso bruto	Unidades por lote
109N310	V M NET SYS NEUM SE 63 C/B S/E	5.882	0.02243	6.37	1
109N311	VM NET SYS NEUM SE 75 C/B S/E	5.372	0.02244	6.20	1
109N312	VM NET SYS NEUM SE 90 C/B S/E	7.136	0.03648	7.73	1
109N313	VM NET SYS NEUM SE 110 C/B S/E	9.919	0.04460	10.75	1
109N314	VM NET SYS NEUM SE 125 C/B S/E	10.893	0.04460	11.72	1
109N315	VM NET SYS NEUM SE 140 C/B S/E	15.372	0.06150	16.35	1
109N316	VM NET SYS NEUM SE 160 C/B S/E	20.018	0.06150	20.94	1
109N317	VM NET SYS NEUM SE 200 C/B S/E	22.444	0.06150	23.42	1
109N318	VM NET SYS NEUM SE 225 C/B S/E	23.464	0.06150	24.44	1





ITEM 174 | Single acting pneumatic actuator, solvent socket outlet

CÓDIGO	f	BRIDA	Pesos	A	B	C	D	E	PN	MEDIDA
9N310	63	75	5412	138	218	42	376	205	PN10	MÉTRICO
9N311	75	75	5372	138	192	44	376	205	PN10	MÉTRICO
9N312	90	90	6236	164	235	52	400	205	PN10	MÉTRICO
9N313	110	110	9919	188	247	61	420	205	PN10	MÉTRICO
9N314	125	125	10893	203	282	70	431	205	PN10	MÉTRICO
9N315	140	140	15372	224	298	78	451	310	PN10	MÉTRICO
9N316	160	160	17111	251	315	86	473	310	PN10	MÉTRICO
9N317	200	200	22444	297	390	106	547	310	PN6	MÉTRICO
9N318	225	200	23464	297	476	120	547	310	PN6	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

