




Netvitc System butterfly valves

Thermofusion outlet 3

ITEM 172

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
109N030	V. M NETVITC SYSTEM 63 C/B S/PE	2.010	0.04460	5.30	2
109N031	V. M NETVITC SYSTEM 75 C/B S/PE	2.350	0.04460	5.93	2
109N032	V. M NETVITC SYSTEM 90 C/B S/PE	3.498	0.06150	7.96	2
109N033	V. M NETVITC SYSTEM 110 C/B S/PE	4.835	0.06150	10.24	2
109N034	V. M NETVITC SYSTEM 125 C/B S/PE	5.731	0.06150	12.44	2
109N035	V. M NETVITC SYSTEM 140 C/B S/PE	6.947	0.06347	14.68	2
109N036	V. M NETVITC SYSTEM 160 C/B S/PE	9.464	0.13096	19.51	2
109N037	V. M NETVITC SYSTEM 200 C/B S/PE	15.311	0.06150	16.26	1
109N038	V. M NETVITC SYSTEM 225 C/B S/PE	15.000	0.06879	16.18	1





ITEM 172 | Thermofusion outlet 3

CÓDIGO	f	BRIDA	Pesos	A	B	C	J	PN	MEDIDA
9N030	63	75	2606	138	358	64	235	PN10	MÉTRICO
9N031	75	75	2642	138	348	91	235	PN10	MÉTRICO
9N032	90	90	3572	164	385	100	235	PN10	MÉTRICO
9N033	110	110	4417	188	395	102	235	PN10	MÉTRICO
9N034	125	125	5731	203	464	135	270	PN10	MÉTRICO
9N035	140	140	6296	224	468	125	270	PN10	MÉTRICO
9N036	160	160	8717	251	481	122	270	PN10	MÉTRICO
9N037	200	200	12714	297	552	132	270	PN6	MÉTRICO
9N038	225	200	11232	297	554	143	270	PN6	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

