




## 'Basic' ball valves

# Plain/Threaded outlet - 220V electric actuator - PFTE ITEM 256




| REFERÊNCIA | DESCRIÇÃO                              | Peso líquido | Volume (m <sup>3</sup> ) | contenido.peso bruto | Unidades por lote |
|------------|----------------------------------------|--------------|--------------------------|----------------------|-------------------|
| 1011339    | V.E MOTOR ACTU 220v S MIXTA 20-1/2"    | 1.550        | 0.01553                  | 1.79                 | 1                 |
| 1011340    | V.E MOTOR ACTU 220v S MIXTA 25-3/4"    | 1.598        | 0.02244                  | 2.14                 | 1                 |
| 1011341    | V.E MOTOR ACTU 220v S MIXTA 32-1"      | 1.739        | 0.03129                  | 2.30                 | 1                 |
| 1011342    | V.E MOTOR ACTU 220v S MIXTA 40-1 1/4"  | 1.972        | 0.03129                  | 2.53                 | 1                 |
| 1011343    | V.E MOTOR ACTU 220v S MIXTA 50-1 1/2"  | 2.221        | 0.03129                  | 2.78                 | 1                 |
| 1011344    | V E MOTOR ACTU 220v S MIXT 63-2"       | 3.123        | 0.03648                  | 3.82                 | 1                 |
| 1011345    | V.E MOTOR ACTU 220v S MIXTA 75- 2 1/2" | 4.628        | 0.04460                  | 5.47                 | 1                 |
| 1011346    | V.E MOTOR ACTU 220v S MIXTA 90-3"      | 6.274        | 0.04460                  | 7.11                 | 1                 |
| 1011347    | V.E MOTOR ACTU 220v S MIXTA 110-4"     | 8.089        | 0.04460                  | 8.93                 | 1                 |





## ITEM 256 | Plain/Threaded outlet - 220V electric actuator - PTFE

| CÓDIGO | A - r     | PESO (g) | DN  | Actuador | B  | b  | C   | D   | E   | F   | PN   | TIPO ROSCA |
|--------|-----------|----------|-----|----------|----|----|-----|-----|-----|-----|------|------------|
| 11339  | 20-1/2"   | 1550     | 15  | H10      | 16 | 17 | 52  | 47  | 89  | 227 | PN16 | BSP        |
| 11340  | 25-3/4"   | 1598     | 20  | H10      | 19 | 20 | 59  | 51  | 99  | 232 | PN16 | BSP        |
| 11341  | 32-1"     | 1739     | 25  | H10      | 23 | 23 | 70  | 66  | 119 | 243 | PN16 | BSP        |
| 11342  | 40-1 1/4" | 1972     | 32  | S20      | 25 | 26 | 84  | 72  | 133 | 265 | PN16 | BSP        |
| 11343  | 50-1 1/2" | 2221     | 40  | S20      | 31 | 33 | 99  | 77  | 151 | 282 | PN16 | BSP        |
| 11344  | 63-2"     | 3123     | 50  | S20      | 38 | 29 | 121 | 90  | 167 | 352 | PN16 | BSP        |
| 11345  | 75-2 1/2" | 4628     | 65  | S35      | 45 | 33 | 151 | 121 | 210 | 426 | PN10 | BSP        |
| 11346  | 90-3"     | 6274     | 80  | S55      | 51 | 36 | 175 | 141 | 245 | 450 | PN10 | BSP        |
| 11347  | 110-4"    | 8089     | 100 | S55      | 61 | 42 | 210 | 155 | 288 | 477 | PN10 | BSP        |





## Documentación del Producto



## Certificados del Producto



## Certificados da Empresa

