




PP threaded fittings

male-female reducing

ITEM 119


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1004100	REDUCCION M-H 3/4"-1/2"	0.008	0.00892	1.83	200
1004101	REDUCCION M-H 1"-1/2"	0.016	0.00892	2.63	150
1004102	REDUCCION M-H 1"-3/4"	0.012	0.00892	2.00	150
1004105	REDUCCION M-H 1 1/4"-1"	0.025	0.01553	2.80	100
1004107	REDUCCION M-H 1 1/2"-1"	0.029	0.00892	1.62	50
1004108	REDUCCION M-H 1 1/2"-1 1/4"	0.035	0.01553	2.08	50
1004111	REDUCCION M-H 2"-1 1/4"	0.042	0.01553	2.41	50
1004112	REDUCCION M-H 2"-1 1/2"	0.051	0.01553	2.86	50
1004115	REDUCCION M-H 2 1/2"-2"	0.076	0.02244	3.54	40






ITEM 119 | male-female reducing

Código	f tubo - A-B	Peso (g)	C	D	E	F	PN	TIPO ROSCA
04100	3/4" - 1/2"	8	15	16	33	33	PN10	BSP
04101	1 - 1/2"	11	16	16	36	33	PN10	BSP
04102	1" - 3/4"	12	17	16	36	36	PN10	BSP
04105	1 1/4" - 1"	24	19	20	44	51	PN10	BSP
04107	1 1/2" - 1"	28	24	20	48	51	PN10	BSP
04108	1 1/2" - 1 1/4"	34	24	20	48	51	PN10	BSP
04111	2" - 1 1/4"	40	25	21	49	65	PN10	BSP
04112	2" - 1 1/2"	49	25	26	56	65	PN10	BSP
04115	2 1/2"-2"	74	30	26	60	80	PN10	BSP





Documentación del Producto



Certificados del Producto



Certificados da Empresa

