




**PVC check valves (with spring)**

# Female threaded outlet - EPDM seal ITEM 265



| REFERÊNCIA | DESCRIÇÃO                       | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|---------------------------------|--------------|-------------|----------------------|-------------------|
| 1016011    | V ANTIRET ENL S/R HEMBRA 1/2"   | 0.138        | 0.01553     | 5.99                 | 40                |
| 1016012    | V ANTIRET ENL S/R HEMBRA 3/4"   | 0.179        | 0.02243     | 7.76                 | 40                |
| 1016013    | V ANTIRET ENL S/R HEMBRA 1"     | 0.308        | 0.02244     | 9.60                 | 30                |
| 1016014    | V ANTIRET ENL S/R HEMBRA 1 1/4" | 0.511        | 0.03129     | 10.82                | 20                |
| 1016015    | V ANTIRET ENL S/R HEMBRA 1 1/2" | 0.749        | 0.02244     | 9.53                 | 12                |
| 1016016    | V ANTIRET ENL S/R HEMBRA 2"     | 1.196        | 0.03129     | 12.35                | 10                |
| 1016017    | V ANTIRET ENL S/R HEMBRA 2 1/2" | 2.266        | 0.03129     | 9.75                 | 4                 |
| 1016018    | V ANTIRET ENL S/R HEMBRA 3"     | 3.610        | 0.02244     | 8.02                 | 2                 |





## ITEM 265 | Female threaded outlet - EPDM seal

| Código EPDM | A      | Peso | B   | C   | D  | PN   | TIPO ROSCA |
|-------------|--------|------|-----|-----|----|------|------------|
| 16011       | 1/2"   | 139  | 52  | 90  | 16 | PN16 | BSP        |
| 16012       | 3/4"   | 181  | 59  | 100 | 17 | PN16 | BSP        |
| 16013       | 1"     | 296  | 69  | 123 | 21 | PN16 | BSP        |
| 16014       | 1 1/4" | 497  | 85  | 135 | 23 | PN16 | BSP        |
| 16015       | 1 1/2" | 712  | 99  | 155 | 31 | PN16 | BSP        |
| 16016       | 2"     | 1125 | 116 | 163 | 38 | PN16 | BSP        |
| 16017       | 2 1/2" | 2683 | 150 | 205 | 44 | PN10 | BSP        |
| 16018       | 3"     | 4320 | 178 | 231 | 52 | PN10 | BSP        |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

