




PVC check valves (with spring)

Female threaded outlet - Foot - EPDM seal ITEM 273

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1016111	V ANTIRET PIE S/ R/H 1/2"	0.132	0.01553	5.69	40
1016112	V ANTIRET PIE S/ R/H 3/4"	0.163	0.02244	6.98	40
1016113	V ANTIRET PIE S/ R/H 1"	0.284	0.02244	8.77	30
1016114	V ANTIRET PIE S/ R/H 1 1/4"	0.458	0.03129	9.56	20
1016115	V ANTIRET PIE S/ R/H 1 1/2"	0.664	0.02244	8.14	12
1016116	V ANTIRET PIE S/ R/H 2"	1.086	0.04717	13.72	12
1016117	V ANTIRET PIE S/ R/H 2 1/2"	2.090	0.03129	9.17	4
1016118	V ANTIRET PIE S/ R/H 3"	3.267	0.03129	7.47	2





ITEM 273 | Female threaded outlet - Foot - EPDM seal

Código EPDM	A	Peso	B	C	D	PN	TIPO ROSCA
16111	1/2"	127	52	16	106	PN16	BSP
16112	3/4"	164	59	17	118	PN16	BSP
16113	1"	272	69	21	147	PN16	BSP
16114	1 1/4"	448	85	23	164	PN16	BSP
16115	1 1/2"	682	99	31	175	PN16	BSP
16116	2"	1075	116	38	200	PN16	BSP
16117	2 1/2"	2400	150	44	260	PN10	BSP
16118	3"	4120	178	52	303	PN10	BSP





Documentação do Produto



Certificados do Produto

Certificados da Empresa

