




## PVC check valves (with spring)

# Fitting outlet - EPDM seal

## ITEM 269

| REFERÊNCIA | DESCRIÇÃO                     | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|-------------------------------|--------------|-------------|----------------------|-------------------|
| 1016031    | V ANTIRET ENL S/FITTING 20-20 | 0.200        | 0.02244     | 8.54                 | 40                |
| 1016032    | V ANTIRET ENL S/FITTING 25-25 | 0.306        | 0.03682     | 12.02                | 40                |
| 1016033    | V ANTIRET ENL S/FITTING 32-32 | 0.490        | 0.03682     | 13.07                | 30                |
| 1016034    | V ANTIRET ENL S/FITTING 40-40 | 0.873        | 0.03682     | 11.58                | 16                |
| 1016035    | V ANTIRET ENL S/FITTING 50-50 | 1.193        | 0.04880     | 15.91                | 15                |
| 1016036    | V ANTIRET ENL S/FITTING 63-63 | 2.225        | 0.04836     | 22.25                | 10                |
| 1016037    | V ANTIRET ENL S/FITTING 75-75 | 3.503        | 0.04836     | 14.21                | 5                 |
| 1016038    | V ANTIRET ENL S/FITTING 90-90 | 6.117        | 0.06347     | 25.26                | 4                 |





## ITEM 269 | Fitting outlet - EPDM seal

| Código EPDM | A  | Peso | B   | C   | PN   | MEDIDA  |
|-------------|----|------|-----|-----|------|---------|
| 16031       | 20 | 200  | 52  | 170 | PN16 | MÉTRICO |
| 16032       | 25 | 305  | 59  | 197 | PN16 | MÉTRICO |
| 16033       | 32 | 480  | 69  | 239 | PN16 | MÉTRICO |
| 16034       | 40 | 805  | 85  | 274 | PN16 | MÉTRICO |
| 16035       | 50 | 1061 | 99  | 288 | PN16 | MÉTRICO |
| 16036       | 63 | 1943 | 116 | 380 | PN16 | MÉTRICO |
| 16037       | 75 | 4709 | 150 | 411 | PN10 | MÉTRICO |
| 16038       | 90 | 7530 | 178 | 460 | PN10 | MÉTRICO |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

