





PVC check valves (with spring)

Fitting outlet - FPM seal

ITEM 271


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1016531	V ANTIRET ENL VITON S/FITTING 20-20	0.200	0.02244	8.54	40
1016532	V ANTIRET ENL VITON S/FITTING 25-25	0.306	0.03682	12.02	40
1016533	V ANTIRET ENL VITON S/FITTING 32-32	0.490	0.03682	13.07	30
1016534	V ANTIRET ENL VITON S/FITTING 40-40	0.873	0.03682	11.58	16
1016535	V ANTIRET ENL VITON S/FITTING 50-50	1.193	0.04880	15.91	15
1016536	V ANTIRET ENL VITON S/FITTING 63-63	2.225	0.04836	22.25	10
1016537	V ANTIRET ENL VITON S/FITTING 75-75	3.503	0.04836	14.21	5
1016538	V ANTIRET ENL VITON S/FITTING 90-90	6.117	0.03648	12.87	2






ITEM 271 | Fitting outlet - FPM seal

Código Vitón	A	Peso	B	C	PN	MEDIDA
16531	20	200	52	170	PN16	MÉTRICO
16532	25	305	59	197	PN16	MÉTRICO
16533	32	480	69	239	PN16	MÉTRICO
16534	40	805	85	274	PN16	MÉTRICO
16535	50	1061	99	288	PN16	MÉTRICO
16536	63	1943	116	380	PN16	MÉTRICO
16537	75	4709	150	411	PN10	MÉTRICO
16538	90	7530	178	460	PN10	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

