



PVC check valves (with spring)


Plain/threaded outlet - EPDM seal

ITEM 268



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1016021	V ANTIRET ENL S/MIXTA 1/2 "- 20	0.134	0.01553	5.86	40
1016022	V ANTIRET ENL S/MIXTA 3/4 "- 25	0.173	0.01553	7.32	40
1016023	V ANTIRET ENL S/MIXTA 1 "-32	0.293	0.02244	9.21	30
1016024	V ANTIRET ENL S/MIXTA 1 1/4"-40	0.494	0.02244	10.42	20
1016025	V ANTIRET ENL S/MIXTA 1 1/2"-50	0.728	0.03129	9.06	12
1016026	V ANTIRET ENL S/MIXTA 2"-63	1.179	0.03129	11.91	10
1016027	V ANTIRET ENL S/ MIXTA 2 1/2"-75	2.260	0.03129	11.16	4
1016028	V ANTIRET ENL S/ MIXTA 3"- 90	3.546	0.03129	9.08	2





ITEM 268 | Plain/threaded outlet - EPDM seal

Código EPDM	A	a	Peso	B	C	D	d	PN	TIPO ROSCA
16021	20	1/2"	135	52	88	17	16	PN16	BSP
16022	25	3/4"	177	59	97	19	17	PN16	BSP
16023	32	1"	289	69	121	24	21	PN16	BSP
16024	40	1 1/4"	484	85	134	26	23	PN16	BSP
16025	50	1 1/2"	696	99	153	31	31	PN16	BSP
16026	63	2"	1111	116	169	38	38	PN16	BSP
16027	75	2 1/2"	2649	150	211	44	44	PN10	BSP
16028	90	3"	4258	178	246	51	52	PN10	BSP





Documentação do Produto



Certificados do Produto

Certificados da Empresa

