




PVC-U pressure fittings

90° elbow, solvent socket outlet ITEM 004



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m ³)	contenido.peso bruto	Unidades por lote
1002201	CODO 90° EN-R/H 20-1/2"	0.022	0.00892	2.36	100
1002202	CODO 90° EN-R/H 25-3/4"	0.033	0.00892	3.50	100
1002203	CODO 90° EN-R/H 32-1"	0.065	0.02244	6.97	100
1002204	CODO 90° EN-R/H 40- 1 1/4"	0.125	0.03129	13.03	100
1002205	CODO 90° ENC-R/H 50-1 1/2"	0.161	0.04879	16.66	100
1002206	CODO 90° EN-R/H 63-2"	0.286	0.04879	14.96	50
1002207	CODO 90° EN-R/H 75-2 1/2"	0.452	0.04880	14.15	30
1002208	CODO 90° ENC-R/H 90-3"	0.849	0.04836	15.96	18
1002260	CODO 90° ENC-R/H 75-1 1/2"	0.594	0.03129	12.46	20
1002261	CODO 90° ENC-R/H 75-2"	0.572	0.03129	12.02	20
1002262	CODO 90° ENC-R/H 90-2"	1.074	0.03680	13.44	12
1002263	CODO 90° ENC-R/H 90-2 1/2"	0.995	0.03680	12.56	12





ITEM 004 | 90° elbow, solvent socket outlet

Código	A-a	Peso (g)	B	C	D	E	PN	ROSCA
02201	20-1/2"	21	27	16	41	16	PN10	BSP
02202	25-3/4"	34	33	19	50	17	PN10	BSP
02203	32-1"	66	41	22	61	21	PN10	BSP
02204	40-1 1/4"	120	50	26	74	23	PN10	BSP
02205	50-1 1/2"	145	61	31	88	24	PN10	BSP
02206	63-2"	275	75	38	109	28	PN10	BSP
02260	75-1 1/2"	589	89	44	129	24	PN10	BSP
02261	75-2"	562	89	44	129	28	PN10	BSP
02207	75-2 1/2"	427	89	44	129	32	PN10	BSP
02262	90-2"	1040	108	51	156	28	PN10	BSP





ITEM 004 | 90° elbow, solvent socket outlet

02263	90-2 1/2"	995	108	51	156	32	PN10	BSP
02208	90-3"	831	108	51	156	35	PN10	BSP



Documentação do Produto



Certificados do Produto



Certificados da Empresa

