




## PVC-U pressure fittings

# "AIR" 90° elbow, female threaded outlet ITEM 429




| REFERÊNCIA | DESCRIÇÃO                  | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|----------------------------|--------------|-------------|----------------------|-------------------|
| 1001256    | CODO 90° ENC "AIR" 50-1/2" | 0.175        | 0.02244     | 5.96                 | 30                |
| 1001257    | CODO 90° ENC "AIR" 63-1/2" | 0.300        | 0.03129     | 8.39                 | 26                |
| 1001258    | CODO 90° ENC "AIR" 75-1/2" | 0.500        | 0.04717     | 13.14                | 25                |
| 1001259    | CODO 90° ENC "AIR" 90-3/4" | 0.826        | 0.03129     | 8.92                 | 10                |
| 1001260    | CODO 90° ENC "AIR" 90-1"   | 0.762        | 0.03129     | 8.26                 | 10                |
| 1001261    | CODO 90° ENC "AIR" 110-1"  | 1.311        | 0.04880     | 13.69                | 10                |
| 1001262    | CODO 90° ENC "AIR" 125-1"  | 1.940        | 0.04717     | 12.28                | 6                 |
| 1001263    | CODO 90° ENC "AIR" 125-2"  | 1.747        | 0.06149     | 11.68                | 6                 |
| 1001267    | CODO 90° ENC "AIR" 160-2"  | 3.320        | 0.06150     | 14.20                | 4                 |
| 1001268    | CODO 90° ENC "AIR" 200-2"  | 4.957        | 0.06347     | 10.70                | 2                 |
| 1001590    | CODO 90° ENC "AIR" 50-3/4" | 0.171        | 0.02244     | 5.62                 | 30                |
| 1001591    | CODO 90° ENC "AIR" 63-3/4" | 0.280        | 0.03129     | 8.04                 | 26                |
| 1001592    | CODO 90° ENC "AIR" 75-3/4" | 0.492        | 0.04717     | 12.94                | 25                |
| 1001593    | CODO 90° ENC "AIR" 250-2"  | 9.830        | 0.06347     | 10.91                | 1                 |
| 1001594    | CODO 90° ENC "AIR" 250-3"  | 9.735        | 0.06347     | 10.50                | 1                 |





## ITEM 429 | "AIR" 90° elbow, female threaded outlet

| Código | A   | d    | Peso (g) | B   | C  | D   | E   | PN   | MEDIDA  |
|--------|-----|------|----------|-----|----|-----|-----|------|---------|
| 01256  | 50  | 1/2" | 148      | 61  | 31 | 100 | 88  | PN16 | MÉTRICO |
| 01590  | 50  | 3/4" | 146      | 61  | 31 | 100 | 88  | PN16 | MÉTRICO |
| 01257  | 63  | 1/2" | 235      | 76  | 38 | 120 | 109 | PN16 | MÉTRICO |
| 01591  | 63  | 3/4" | 233      | 76  | 38 | 120 | 109 | PN16 | MÉTRICO |
| 01258  | 75  | 1/2" | 455      | 90  | 44 | 140 | 130 | PN16 | MÉTRICO |
| 01592  | 75  | 3/4" | 452      | 90  | 44 | 140 | 130 | PN16 | MÉTRICO |
| 01259  | 90  | 3/4" | 845      | 108 | 51 | 178 | 151 | PN16 | MÉTRICO |
| 01260  | 90  | 1"   | 840      | 108 | 51 | 178 | 151 | PN16 | MÉTRICO |
| 01261  | 110 | 1"   | 1278     | 131 | 61 | 206 | 184 | PN16 | MÉTRICO |
| 01262  | 125 | 1"   | 1645     | 143 | 63 | 234 | 210 | PN16 | MÉTRICO |






ITEM 429 | "AIR" 90° elbow, female threaded outlet


|       |     |    |      |     |     |     |     |      |         |
|-------|-----|----|------|-----|-----|-----|-----|------|---------|
| 01263 | 125 | 2" | 1628 | 143 | 69  | 234 | 210 | PN16 | MÉTRICO |
| 01267 | 160 | 2" | 2443 | 182 | 86  | 297 | 265 | PN10 | MÉTRICO |
| 01268 | 200 | 2" | 4920 | 225 | 106 | 340 | 320 | PN10 | MÉTRICO |
| 01593 | 250 | 2" | 9830 | 284 | 131 | 430 | 399 | PN10 | MÉTRICO |
| 01594 | 250 | 3" | 9735 | 284 | 131 | 430 | 399 | PN10 | MÉTRICO |



## Documentación del Producto



## Certificados del Producto



## Certificados da Empresa

