




## PVC-U pressure fittings

# "AIR L" 90° elbow, female threaded outlet ITEM 206




| REFERÊNCIA | DESCRIÇÃO                         | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|-----------------------------------|--------------|-------------|----------------------|-------------------|
| 1001613    | CODO 90° ENC "AIR-L" S/RH 50-3/4" | 0.169        | 0.02243     | 5.55                 | 30                |
| 1001614    | CODO 90° ENC "AIR-L" S/RH 63-3/4" | 0.297        | 0.03129     | 8.95                 | 30                |
| 1001615    | CODO 90° ENC "AIR-L" S/RH 50-1/2" | 0.162        | 0.02244     | 5.35                 | 30                |
| 1001616    | CODO 90° ENC "AIR-L" S/RH 63-1/2" | 0.297        | 0.03129     | 9.48                 | 30                |
| 1001617    | CODO 90° ENC "AIR-L" S/RH 75-1/2" | 0.469        | 0.04717     | 12.36                | 25                |
| 1001619    | CODO 90° ENC-RH AIR-L RH 90-3/4"  | 0.756        | 0.03682     | 8.11                 | 10                |
| 1001623    | CODO 90° ENC-RH AIR-L RH 110-1"   | 1.256        | 0.04880     | 13.14                | 10                |






## ITEM 206 | "AIR L" 90° elbow, female threaded outlet

| Código | A   | d    | Peso (g) | B   | C  | D   | PN   | MEDIDA |
|--------|-----|------|----------|-----|----|-----|------|--------|
| 01615  | 50  | 1/2" | 148      | 61  | 31 | 88  | PN10 | BSP    |
| 01613  | 50  | 3/4" | 152      | 61  | 31 | 88  | PN10 | BSP    |
| 01616  | 63  | 1/2" | 235      | 76  | 38 | 109 | PN10 | BSP    |
| 01614  | 63  | 3/4" | 240      | 76  | 38 | 109 | PN10 | BSP    |
| 01617  | 75  | 1/2" | 455      | 90  | 44 | 130 | PN10 | BSP    |
| 01619  | 90  | 3/4" | 815      | 108 | 51 | 151 | PN10 | BSP    |
| 01623  | 110 | 1"   | 1265     | 143 | 61 | 184 | PN10 | BSP    |



## Documentación del Producto



## Certificados del Producto



## Certificados da Empresa

