





PVC-U pressure fittings

Reducing bush - white range

ITEM 050

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1001435	CASQUILLO RED 50/40 PVC BLANCO	0.031	0.00892	2.36	70
1001436	CASQUILLO RED 63/50 PVC BLANCO	0.059	0.01553	4.49	70
1001496	CASQUILLO RED. 20-16 PVC BLANCO	0.003	0.00473	0.52	150
1001503	CASQUILLO RED 50/20 PVC BLANCO	0.034	0.00892	2.51	70
1001504	CASQUILLO RED 50/25 PVC BLANCO	0.036	0.00892	2.67	70
1001505	CASQUILLO RED 50/32 PVC BLANCO	0.040	0.00892	2.93	70
1001508	CASQUILLO RED 63/32 PVC BLANCO	0.075	0.01553	5.50	70
1001509	CASQUILLO RED 63/40 PVC BLANCO	0.079	0.01553	5.75	70






ITEM 050 | Reducing bush - white range


Codigo	A-a	Peso (g)	B	c	C	PN	MEDIDA
01496	20/16	4	2	14	16	PN16	MÉTRICO
01503	50/20	33	=F4-E4	16	31	PN16	MÉTRICO
01504	50/25	35	=F5-E5	19	31	PN16	MÉTRICO
01505	50/32	39	=F6-E6	22	31	PN16	MÉTRICO
01435	50/40	30	=F7-E7	26	31	PN16	MÉTRICO
01508	63/32	71	=F8-E8	23	38	PN16	MÉTRICO
01509	63/40	77	=F9-E9	26	38	PN16	MÉTRICO
01436	63/50	57	=F10-E10	31	38	PN16	MÉTRICO



Documentación del Producto



Certificados del Producto



Certificados da Empresa

