




PVC-U pressure fittings

THREADED REDUCER MALE-FEMALE ITEM 807



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m ³)	contenido.peso bruto	Unidades por lote
1002469	REDUCCIÓN R/M-R/H PVC 1/2"-3/8"	0.007	0.00472	1.02	120
1002470	REDUCCIÓN R/M-R/H PVC 1/2"-1/4"	0.009	0.00473	1.13	120
1002471	REDUCCIÓN R/M-R/H PVC 1/2"-1/8"	0.010	0.00473	1.33	120
1002472	REDUCCIÓN R/M-R/H PVC 3/4"-1/2"	0.022	0.00892	2.36	100
1002473	REDUCCIÓN R/M-R/H PVC 1"-1/2"	0.033	0.00892	2.82	80
1002474	REDUCCIÓN R/M-R/H PVC 1"-3/4"	0.034	0.00892	2.93	80
1002475	REDUCCIÓN R/M-R/H PVC 1 1/4"-1"	0.050	0.01553	3.83	70
1002476	REDUCCIÓN R/M-R/H PVC 1 1/2"-1 1/4"	0.086	0.01553	5.49	60
1002477	REDUCCIÓN R/M-R/H PVC 2"-1 1/4"	0.113	0.02243	7.26	60
1002478	REDUCCIÓN R/M-R/H PVC 2"-1 1/2"	0.120	0.02243	7.68	60
1002479	REDUCCIÓN R/M-R/H PVC 2 1/2"-1 1/4"	0.150	0.04717	7.41	45
1002480	REDUCCIÓN R/M-R/H PVC 2 1/2"-2"	0.170	0.03129	8.24	45
1002481	REDUCCIÓN R/M-R/H PVC 3"-2 1/2"	0.258	0.03129	7.09	25
1002484	REDUCCIÓN R/M-R/H PVC 1 1/4"-3/4"	0.047	0.01553	3.67	70





ITEM 807 | THREADED REDUCER MALE-FEMALE

Codigo	A-a	Peso (g)	B	C	c	D	PN	ROSCA
02471	1/2"-1/8"	9.2	24	15	12	25	PN10	BSP
02470	1/2"-1/4"	8.8	24	15	14	25	PN10	BSP
02469	1/2"-3/8"	8.2	24	15	14	25	PN10	BSP
02472	3/4"-1/2"	18	34	16	18	43	PN10	BSP
02473	1"-1/2"	32	44	19	18	47	PN10	BSP
02474	1"-3/4"	37	44	19	19	48	PN10	BSP
02484	1 1/4"-3/4"	53	50	21	19	48	PN10	BSP
02475	1 1/4"-1"	57	50	21	19	53	PN10	BSP
02476	1 1/2"-1 1/4"	83	58	21	25	56	PN10	BSP
02477	2"-1 1/4"	109	72	26	25	60	PN10	BSP






ITEM 807 | THREADED REDUCER MALE-FEMALE

02478	2"-1 1/2"	114	72	26	25	60	PN10	BSP
02479	2 1/2"-1 1/4"	150	78	31	29	66	PN10	BSP
02480	2 1/2"-2"	165	78	31	31	70	PN10	BSP
02481	3"-2 1/2"	255	92	33	38	79	PN10	BSP



Documentación del Producto



Certificados del Producto



Certificados da Empresa

