




## Válvulas de bola 'Basic'

# Salida encolar - PTFE - Sistema Basic ITEM 207



| REFERÊNCIA | DESCRIÇÃO                            | Peso líquido | Volume (m <sup>3</sup> ) | contenido.peso bruto | Unidades por lote |
|------------|--------------------------------------|--------------|--------------------------|----------------------|-------------------|
| 1011763    | V.E SIST GAT S/ENC 125 DN113 PTFE    | 8.755        | 0.04460                  | 9.49                 | 1                 |
| 1011150    | V. ENLACE S/ENC 20 PTFE              | 0.160        | 0.01553                  | 6.72                 | 40                |
| 1011151    | V. ENLACE S/ENC 25 PTFE              | 0.204        | 0.02244                  | 8.64                 | 40                |
| 1011152    | V.ENLACE S/ENC 32 PTFE               | 0.353        | 0.03129                  | 11.17                | 30                |
| 1011153    | V. ENLACE S/ENC 40 PTFE              | 0.592        | 0.03129                  | 12.42                | 20                |
| 1011154    | V. ENLACE S/ENC 50 PTFE              | 0.849        | 0.03129                  | 13.23                | 15                |
| 1011155    | V.ENLACE S/ENC 63 PTFE               | 1.352        | 0.03682                  | 14.14                | 10                |
| 1011156    | V. ENLACE S/ENC 75 PTFE              | 2.692        | 0.03129                  | 11.34                | 4                 |
| 1011157    | V. ENLACE S/ENC 90 PTFE              | 4.399        | 0.02244                  | 9.29                 | 2                 |
| 1011158    | V E. SIST IMPLEX S/ENC 110 PTFE      | 6.531        | 0.04460                  | 13.79                | 2                 |
| 1011194    | V. ENLACE S/ENC 63-75 PTFE           | 1.342        | 0.03682                  | 14.04                | 10                |
| 1011195    | V. ENLACE S/ENC 75-90 PTFE           | 2.810        | 0.03129                  | 11.80                | 4                 |
| 1011196    | V. ENLACE S/ENC 90-110 PTFE          | 4.709        | 0.02244                  | 9.91                 | 2                 |
| 1011197    | V E SIST IMPLEX S/ENC 125 DN100 PTFE | 6.240        | 0.03682                  | 6.86                 | 1                 |
| 1011198    | V E SIST IMPLEX S/ENC 140 DN100 PTFE | 6.560        | 0.03682                  | 7.18                 | 1                 |
| 1011883    | V.E SIS GAT S/BRIDAS 160 DN150 PTFE  | 18.460       | 0.13096                  | 19.25                | 1                 |





## ITEM 207 | Salida encolar - PTFE - Sistema Basic

| CÓDIGO | f   | DN  | PESO (g) | A   | B   | C  | D   | E   | F   | PN   | MEDIDA  |
|--------|-----|-----|----------|-----|-----|----|-----|-----|-----|------|---------|
| 11150  | 20  | 15  | 159      | 84  | 52  | 16 | 78  | 92  | 47  | PN16 | MÉTRICO |
| 11151  | 25  | 20  | 203      | 96  | 59  | 19 | 84  | 92  | 51  | PN16 | MÉTRICO |
| 11152  | 32  | 25  | 353      | 117 | 70  | 23 | 97  | 138 | 66  | PN16 | MÉTRICO |
| 11153  | 40  | 32  | 592      | 132 | 84  | 25 | 128 | 160 | 72  | PN16 | MÉTRICO |
| 11154  | 50  | 40  | 848      | 149 | 99  | 31 | 142 | 169 | 77  | PN16 | MÉTRICO |
| 11155  | 63  | 50  | 1351     | 173 | 121 | 38 | 165 | 188 | 90  | PN16 | MÉTRICO |
| 11156  | 75  | 65  | 2691     | 215 | 151 | 45 | 222 | 281 | 121 | PN10 | MÉTRICO |
| 11157  | 90  | 80  | 4398     | 255 | 175 | 51 | 244 | 301 | 141 | PN10 | MÉTRICO |
| 11158  | 110 | 100 | 6530     | 308 | 210 | 61 | 307 | 426 | 155 | PN10 | MÉTRICO |
| 11763  | 125 | 113 | 8755     | 328 | 228 | 71 | 323 | 509 | 161 | PN10 | MÉTRICO |







# ITEM 207 | Salida encolar - PTFE - Sistema Basic

|       |     |     |       |     |     |     |     |     |     |      |         |
|-------|-----|-----|-------|-----|-----|-----|-----|-----|-----|------|---------|
| 11889 | 125 | 113 | 10425 | 340 | 252 | 71  | 335 | 512 | 161 | PN10 | MÉTRICO |
| 11890 | 140 | 125 | 13873 | 405 | 278 | 76  | 363 | 519 | 195 | PN10 | MÉTRICO |
| 11883 | 160 | 150 | 18460 | 350 | 284 | 101 | 436 | 511 | 153 | PN10 | MÉTRICO |
| 11194 | 75  | 50  | 1342  | 192 | 121 | 45  | 165 | 197 | 90  | PN10 | MÉTRICO |
| 11195 | 90  | 65  | 2810  | 240 | 151 | 51  | 222 | 293 | 121 | PN10 | MÉTRICO |
| 11196 | 110 | 80  | 4708  | 286 | 175 | 61  | 244 | 316 | 141 | PN10 | MÉTRICO |
| 11197 | 125 | 100 | 6240  | 312 | 210 | 71  | 307 | 431 | 155 | PN10 | MÉTRICO |
| 11198 | 140 | 100 | 6560  | 326 | 210 | 71  | 307 | 439 | 155 | PN10 | MÉTRICO |
| 11768 | 140 | 113 | 5990  | 340 | 228 | 76  | 323 | 512 | 161 | PN10 | MÉTRICO |
| 11840 | 160 | 125 | 14163 | 405 | 252 | 101 | 363 | 519 | 161 | PN10 | MÉTRICO |





## Documentación del Producto



## Certificados del Producto



## Certificados da Empresa

