




## Válvulas de bola 'Basic'

# Salida fitting r/h - PE - Sistema Basic

## ITEM 215


| REFERÊNCIA | DESCRIÇÃO                       | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|---------------------------------|--------------|-------------|----------------------|-------------------|
| 1011119    | VALVULA ENLACE R/FIT. 20-1/2"   | 0.195        | 0.02244     | 8.29                 | 40                |
| 1011120    | VALVULA ENLACE R/FIT. 25-3/4"   | 0.265        | 0.03129     | 11.17                | 40                |
| 1011121    | VALVULA ENLACE R/FIT. 32-1"     | 0.439        | 0.04717     | 13.80                | 30                |
| 1011122    | VALVULA ENLACE R/FIT. 40-1 1/4" | 0.793        | 0.04836     | 16.43                | 20                |
| 1011123    | VALVULA ENLACE R/FIT. 50-1 1/2" | 1.086        | 0.04460     | 16.85                | 15                |
| 1011124    | VALVULA ENLACE R/FIT. 63-2"     | 1.579        | 0.04717     | 16.43                | 10                |
| 1011125    | VALVULA ENLACE R/FIT. 75-2 1/2" | 1.960        | 0.04717     | 8.60                 | 4                 |
| 1011126    | VALVULA ENLACE R/FIT. 90-3"     | 5.193        | 0.03648     | 11.09                | 2                 |
| 1011127    | VALVULA ENLACE R/FIT. 110-4"    | 6.672        | 0.03648     | 7.47                 | 1                 |






## ITEM 215 | Salida fitting r/h - PE - Sistema Basic

| CÓDIGO | f - r     | PESO (g) | DN  | A   | B   | C   | D   | E  | PN   | TIPO ROSCA |
|--------|-----------|----------|-----|-----|-----|-----|-----|----|------|------------|
| 11119  | 20-1/2"   | 195      | 15  | 147 | 52  | 47  | 78  | 17 | PN16 | BSP        |
| 11120  | 25-3/4"   | 265      | 20  | 154 | 59  | 51  | 84  | 20 | PN16 | BSP        |
| 11121  | 32-1"     | 438      | 25  | 183 | 70  | 66  | 97  | 23 | PN16 | BSP        |
| 11122  | 40-1 1/4" | 793      | 32  | 203 | 84  | 72  | 128 | 26 | PN16 | BSP        |
| 11123  | 50-1 1/2" | 1086     | 40  | 230 | 99  | 77  | 142 | 33 | PN16 | BSP        |
| 11124  | 63-2"     | 1578     | 50  | 270 | 121 | 90  | 165 | 29 | PN16 | BSP        |
| 11125  | 75-2 1/2" | 1960     | 65  | 323 | 151 | 121 | 222 | 33 | PN10 | BSP        |
| 11126  | 90-3"     | 5193     | 80  | 378 | 175 | 141 | 244 | 36 | PN10 | BSP        |
| 11127  | 110-4"    | 6672     | 100 | 446 | 210 | 155 | 307 | 42 | PN10 | BSP        |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

