




## Válvulas y filtros de asiento inclinado

# Válvula asiento inclinado salida R/H ITEM 445

| REFERÊNCIA | DESCRIÇÃO                    | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|------------------------------|--------------|-------------|----------------------|-------------------|
| 1021021    | V ASIENTO INCLINADO R/H 1/2" | 0.262        | 0.03648     | 4.04                 | 10                |
| 1021022    | V ASIENTO INCLINADO R/H 3/4" | 0.406        | 0.03648     | 5.48                 | 10                |
| 1021023    | V ASIENTO INCLINADO R/H 1"   | 0.655        | 0.03648     | 7.14                 | 10                |






## ITEM 445 | Válvula asiento inclinado salida R/H

| CÓDIGO | f    | DN | Peso (g) | A   | B   | C  | D  | PN   | TIPO ROSCA |
|--------|------|----|----------|-----|-----|----|----|------|------------|
| 21021  | 1/2" | 15 | 257      | 146 | 140 | 52 | 16 | PN16 | BSP        |
| 21022  | 3/4" | 20 | 388      | 173 | 164 | 59 | 17 | PN16 | BSP        |
| 21023  | 1"   | 25 | 573      | 195 | 183 | 69 | 21 | PN16 | BSP        |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

